



INSTRUCTION

klir-HIOSE LED

lichtwerk
inspired by light

lichtwerk GmbH
Hellinger Straße 3
D-97486 Königshausen/Bay.
fon +49 9525 9827-0
fax +49 9525 9827-300
www.lichtwerk.de
info@lichtwerk.de



Type	L mm	B mm	H mm	A1 mm	⊘Kg+EVTS	⊘Kg+ETS	⊘Kg+EMD	⊘Kg+EAD
klir-HIOSE/1100 LED	1127	40	43	520	3,4	2,8	2,3	2,8
klir-HIOSE/1700 LED	1687	40	43	520	4,0	3,4	2,9	3,4
klir-HIOSE/2200 LED	2247	40	43	520	4,7	4,1	3,6	4,1
klir-HIOSE/2800 LED	2807	40	43	520	5,3	4,7	4,2	4,7

Diese Leuchte enthält ein Leuchtmittel der Energieeffizienzklasse
This luminaire contains a light source of energy efficiency class
C (LF 940)
D (LF 930)

1



Instruction: klir-EVTS
klir-ETS
klir-EMD
klir-EAD

INSTRUCTION




klir-ETS 625

569



lichtwerk

inspired by light

lichtwerk GmbH
 Hellinger Straße 3
 D-97486 Königshausen/Bay.
 fon +49 9525 9827-0
 fax +49 9525 9827-300
 www.lichtwerk.de
 info@lichtwerk.de




e = min 100mm




Type	L mm	B mm	H mm	⊘ Kg
klir-ETS 625	622	47	11	0,62

-
-
-
-
-
-
-
-
-


10




11




12



13



14



INSTRUCTION

klir-V0


569

lichtwerk
inspired by light

lichtwerk GmbH
Hellinger Straße 3
D-97486 Königsberg/Bay.
fon +49 9525 9827-0
fax +49 9525 9827-300
www.lichtwerk.de
info@lichtwerk.de




klir-V0




Type	L mm	B mm	H mm	⊠Kg
klir-V0	100	26	1	0,02

1



klir-V0 surface mounted canopy




luminaire ①


luminaire ②

		A in mm			
/2800		1960	2240	2520	2800
/2200		1680	1960	2240	2520
/1700		1400	1680	1960	2240
/1100		1120	1400	1680	1960
① / ②		/1100	/1700	/2200	/2800


2



3





klir-V0 for false ceiling installation



luminaire ①

luminaire ②

		A in mm			
/2800		1440	1720	2000	2280
/2200		1160	1440	1720	2000
/1700		0880	1160	1440	1720
/1100		0600	0880	1160	1440
① \ ②		/1100	/1700	/2200	/2800




INSTRUCTION

klir-V0600


569

lichtwerk
inspired by light

lichtwerk GmbH
Hellinger Straße 3
D-97486 Königsberg/Bay.
fon +49 9525 9827-0
fax +49 9525 9827-300
www.lichtwerk.de
info@lichtwerk.de




klir-V0600




Type	L mm	B mm	H mm	⊖ Kg
klir-V0600	560	40	43	0,62

1




klir-V0600 surface mounted canopy




		A in mm			
/2800		2520	2800	3080	3360
/2200		2240	2520	2800	3080
/1700		1960	2240	2520	2800
/1100		1680	1960	2240	2520
① / ②		/1100	/1700	/2200	/2800


2



3



klir-V0600 for false ceiling installation



		A in mm			
/2800		2000	2280	2560	2840
/2200		1720	2000	2280	2560
/1700		1440	1720	2000	2280
/1100		1160	1440	1720	2000
① / ②		/1100	/1700	/2200	/2800

